

TABLE OF CONTENTS

Item No.	Spec Needed?	Item Description	Page Numbers
101.01		SCHEDULE OF OPERATIONS	1
102.1		TREE TRIMMING	2
102.3		SHRUB TRIMMING	3
102.4		HAND EXCAVATION ROOT ZONE	4
102.5		ROADSIDE TREE PROTECTION	5 & 6
103.		TREE REMOVED - DIAMETER UNDER 24 INCHES	7 & 8
104.		TREE REMOVED - DIAMETER 24 INCHES AND OVER	9
105.		STUMP REMOVED	10
120.		EARTH EXCAVATION	11 & 12
120.1		UNCLASSIFIED EXCAVATION	13
121.		CLASS A ROCK EXCAVATION	14
127.		CONCRETE EXCAVATION	15
129.3		OLD PAVEMENT EXCAVATION	16 & 17
129.52		TRACK EXCAVATION - TWO RAILS	18
129.54		TRACK EXCAVATION - FOUR RAILS	19
141.		CLASS A TRENCH EXCAVATION	20
141.1		TEST PIT FOR EXPLORATION	21 & 22
142.		CLASS B TRENCH EXCAVATION	23
144.		CLASS B ROCK EXCAVATION	24
145.		DRAINAGE STRUCTURE ABANDONED	25
146.		DRAINAGE STRUCTURE REMOVED	26
150.		ORDINARY BORROW	27
150.1		SPECIAL BORROW	28
151.		GRAVEL BORROW	29
151.2		GRAVEL BORROW FOR BACKFILLING STRUCTURES AND PIPES	30
153.		CONTROLLED DENSITY FILL - EXCAVATABLE	31
156.		CRUSHED STONE	32
170.		FINE GRADING & COMPACTING	33
180.1		HEALTH AND SERVICES PLAN	34
180.2		IMPLEMENTATION OF HEALTH AND SAFETY PLAN	35
180.3		PERSONNEL PROTECTION LEVEL C UPGRADE	36
180.4		MONITORING/HANDLING AND STOCKPILING OF CONTAMINATED SOILS	37
181.1		DISPOSAL OF CONTAMINATED SOIL	38
187.3		REMOVAL AND DISPOSAL OF DRAINAGE STRUCTURE SEDIMENTS	39
187.31		REMOVAL AND DISPOSAL OF DRAINAGE PIPE SEDIMENTS	40
201.5		CATCH BASIN - MUNICIPAL STANDARD	41 & 42
201.52		CATCH BASIN - MUNICIPAL STANDARD TYPE 2	43
201.53		CATCH BASIN - MUNICIPAL STANDARD TYPE 3	44
201.54		CATCH BASIN - MUNICIPAL STANDARD TYPE 4	45
202.		MANHOLE	46 & 47
202.2		MANHOLE (9 TO 14 FOOT DEPTH)	48
203		SPECIAL MANHOLE	49
204.		GUTTER INLET	50
207.1		DROP INLET, TYPE BF	51
208.1		DROP INLET, TYPE CF	52
220.		DRAINAGE STRUCTURE ADJUSTED	53
220.2		DRAINAGE STRUCTURE REBUILT	54
220.3		DRAINAGE STRUCTURE CHANGE IN TYPE	55
220.5		DRAINAGE STRUCTURE REMODELED	56
220.6		DRAINAGE STRUCTURE REBUILT	57
220.7		SANITARY STRUCTURE ADJUSTED	58
220.8		SANITARY STRUCTURE REMODELED	59
222.3		FRAME AND GRATE (COVER) MUNICIPAL STANDARD	60
223.		FRAME AND GRATE (OR COVER) REMOVED AND RESET	61
223.1		FRAME AND GRATE (OR COVER) REMOVED AND STACKED	62
223.2		FRAME AND GRATE (OR COVER) REMOVED AND DISCARDED	63
224.12		12 INCH HOOD	64
227.4		MASONRY PLUG	65
238.10		10 INCH DUCTILE IRON PIPE	66
238.12		12 INCH DUCTILE IRON PIPE	67

241.12	12 INCH REINFORCED CONCRETE PIPE	68 / 69 / 70
241.15	15 INCH REINFORCED CONCRETE PIPE	71
241.18	18 INCH REINFORCED CONCRETE PIPE	72
241.21	21 INCH REINFORCED CONCRETE PIPE	73
241.24	24 INCH REINFORCED CONCRETE PIPE	74
241.27	27 INCH REINFORCED CONCRETE PIPE	75
242.12	12 INCH REINFORCED CONCRETE PIPE FLARED END	76
269.08	8 INCH SLOT-PERFORATED CORRUGATED PLASTIC PIPE (SUBDRAIN)	77
302.06	6 INCH DUCTILE IRON WATER PIPE (RUBBER GASKET)	78
302.08	8 INCH DUCTILE IRON WATER PIPE (RUBBER GASKET)	79
302.10	10 INCH DUCTILE IRON WATER PIPE (RUBBER GASKET)	80
302.12	12 INCH DUCTILE IRON WATER PIPE (RUBBER GASKET)	81
309.	DUCTILE IRON FITTINGS FOR WATER PIPE	82
347.075	3/4 INCH COPPER TUBING TYPE K	83
347.1	1 INCH COPPER TUBING TYPE K	84
350.06	6 INCH GATE AND GATE BOX	85
354.12	12 INCH GATE AND UNDER GATE BOX REMOVED AND RESET	86
357.06	6" GATE BOX	87
357.08	8" GATE BOX	88
357.10	10" GATE BOX	89
357.12	12" GATE BOX	90
358.	GATE BOX ADJUSTED	91
369.06	6X6 INCH TAPPING SLEEVE, VALVE, AND BOX	92
376.2	HYDRANT - REMOVED AND RESET	93
376.5	HYDRANT ADJUSTED	94
381.1	SERVICE BOX REMOVE AND RESET	95
381.3	SERVICE BOX ADJUSTED	96
384.	CURB STOP	97
384.2	CURB STOP ADJUSTED	98
390.	SPRINKLER HEAD REMOVED AND RESET	99
390.1	SPRINKLER SYSTEM PIPE	100
402.	DENSE GRADED CRUSHED STONE FOR SUB-BASE	101
415.	MICRO MILLING	102
431.1	HIGH EARLY STRENGTH CEMENT CONCRETE BASE COURSE	103
440.	CALCIUM CHLORIDE FOR ROADWAY DUST CONTROL	104
443.	WATER FOR ROADWAY DUST CONTROL	105
450.90	CONTRACTOR QUALITY CONTROL	106
451.	HMA FOR PATCHES	107
453.	HMA JOINT SEALANT	108 & 109
454.5	LATEX MODIFICATION OF HMA	110
455.23	SUPERPAVE SURFACE COURSE 12.5 (SSC-12.5)	111
455.31	SUPERPAVE INTERMEDIATE COURSE 12.5 (SIC-12.5)	112
455.42	SUPERPAVE BASE COURSE 37.5 (SBC-37.5)	113
464.	BITUMEN FOR TACK COAT	114
472.	HOT MIX ASPHALT FOR MISCELLANEOUS WORK	115
482.3	SAWING ASPHALT PAVEMENT	116 & 117
482.4	SAWING CEMENT CONCRETE	118
486.2	COLORLED SCORED CEMENT CONCRETE PAVMENT	119
487.	RESIN CROSSWALK	120
506.	GRANITE CURB TYPE VB - STRAIGHT	121
506.1	GRANITE CURB TYPE VB - CURVED	122
509.	GRANITE TRANSITION CURB FOR WHEELCHAIR RAMPS - STRAIGHT	123
509.1	GRANITE TRANSITION CURB FOR WHEELCHAIR RAMPS - CURVED	124
514.	GRANITE CURB INLET - STRAIGHT	125
514.2	GRANITE CURB INLET - STRAIGHT - MUNICIPAL STANDARD	126
515.	GRANITE CURB INLET - CURVED	127
516.	GRANITE CURB CORNER TYPE A	128 & 129
517.	GRANITE CURB CORNER TYPE B	130
531.	TIMBER EDGING	131
531.1	TIMBER EDGING - REMOVED AND RESET	132
532.	QUARTER ROUND CURB	133
532.1	QUARTER ROUND CURB REMOVED AND RESET	134
533.1	PAVER EDGING EREMOVED AND RESET	135
570.1	HOT MIX ASPHALT CURB TYPE 1	136
580.	CURB REMOVED AND RESET	137
580.1	CURB REMOVED, RELOCATED, AND RESET	138
581.	CURB INLET REMOVED AND RESET	139
581.1	CURB INLET REMOVED, RELOCATED, AND RESET	140
582.	CURB CORNER REMOVED AND RESET	141
582.2	CURB CORNER REMOVED, RELOCATED, AND RESET	142
590.	CURB REMOVED AND STACKED	143
593.	EDGING REMOVED AND STACKED	144
594.	CURB REMOVED AND DISCARDED	145

645.130	30 INCH CHAIN LINK FENCE (PTR) VIYNL COATED (LINE POST OPT.)	146
645.142	42 INCH CHAIN LINK FENCE (PTR) VIYNL COATED (LINE POST OPT.)	147
645.148	48 INCH CHAIN LINK FENCE (PTR) VIYNL COATED (LINE POST OPT.)	148
645.172	72 INCH CHAIN LINK FENCE (PTR) VIYNL COATED (LINE POST OPT.)	149
650.030	30 INCH CHAIN LINK GATE WITH GATE POSTS	150
650.031	30 INCH CHAIN LINK GATE WITH GATE POST VINYL COATED	151
650.042	42 INCH CHAIN LINK GATE WITH GATE POSTS	152
650.048	48 INCH CHAIN LINK GATE WITH GATE POSTS	153
650.072	72 INCH CHAIN LINK GATE WITH GATE POSTS	154
653.030	30 INCH CHAIN LINK FENCE CORNER OR INTERMEDIATE BRACE POST	155
653.042	42 INCH CHAIN LINK FENCE CORNER OR INTERMEDIATE BRACE POST	156
653.048	48 INCH CHAIN LINK FENCE CORNER OR INTERMEDIATE BRACE POST	157
653.072	72 INCH CHAIN LINK FENCE CORNER OR INTERMEDIATE BRACE POST	158
654.030	30 INCH CHAIN LINK FENCE FABRIC	159
654.042	42 INCH CHAIN LINK FENCE FABRIC	160
654.048	48 INCH CHAIN LINK FENCE FABRIC	161
654.072	72 INCH CHAIN LINK FENCE FABRIC	162
655.30	30 INCH METAL FENCE	163
655.31	22 INCH METAL GATE WITH GATE POSTS	164
655.32	30 INCH METAL GATE WITH GATE POSTS	165
666.	CHAIN LINK FENCE REMOVED AND RESET	166
668.	CHAIN LINK GATE W/ GATE POSTS REMOVED AND RESET	167
669.	FENCE REMOVED AND RESET	168
670.1	METAL FENCE REMOVED AND RESET	169
672.1	METAL FENCE GATE AND GATE POSTS REMOVED AND RESET	170
685.	STONE MASONRY WALL IN CEMENT MORTAR	171
697.	SEDIMENTATION FENCE	172
701.	CEMENT CONCRETE SIDEWALK	173
701.01	SCORED CEMENT CONCRETE SIDEWALK	174
701.02	COLORED SCORED CEMENT CONCRETE SIDEWALK	175
701.1	CEMENT CONCRETE SIDEWALK AT DRIVEWAYS	176
701.11	SCORED CEMENT CONCRETE SIDEWALK AT DRIVEWAYS	177
701.2	CEMENT CONCRETE WHEELCHAIR RAMP	178
702.	HOT MIX ASPHALT WALK SURFACE	179
703.	HOT MIX ASPHALT DRIVEWAY	180
705.	FLAGSTONE WALK	181
706.	BRICK WALK	182
706.1	BRICK WALK REMOVED AND RELAID	183
707.1	PARK BENCH	184
707.11	PARK BENCH REMOVED AND STACKED	185
707.2	TRASH RECEPTACLE	186
707.21	TRASH RECEPTACLE REMOVED AND RESET	187
707.71	3" WAVERLY TRAIL MEDALIAN (INSTALLATION ONLY)	188
707.72	12" WAVERLY TRAIL MEDALIAN (INSTALLATION ONLY)	189
707.81	STEEL BOLLARD REMOVED AND RESET	190
707.82	BOLLARD	191
707.9	BICYCLE RACK	192
710.4	BOUND - PLAIN GRANITE	193
711.	BOUND REMOVED & RESET	193
715.1	MAIL BOX REMOVED AND RESET	194
740.	ENGINEERS FIELD OFFICE & EQUIPMENT (TYPE A)	195
745.1	BUS SHELTER REMOVED AND RESET	196
748.	MOBILIZATION	197
751.	LOAM BORROW	198
752.1	TREE PIT	199
752.3	ROOT PATH	200 & 201
752.4	BIO-SWALE SOIL	202
752.5	STRUCTURAL SOIL	203
756.	NPDES STORM WATER POLLUTION PREVENTION PLAN	204
765.	SEEDING	205
767.6	AGED PINE BARK MULCH	206
767.8	BALES OF HAY FOR EROSION CONTROL	207
770.	LAWN SODDING	208
773.238	PINE - RED 8-10 FEET	209
773.436	PINE - WHITE 8-10 FEET	210
775.004	ASH - GREEN 2-2.5 INCH CALIPER	211
775.018	BEECH- RIVERS PURPLE 2-2.5 INCH CALIPER	212
775.028	ELM - AMERICAN 'VALLEY FORGE' 2-2.5 INCH CALIPER	213 & 214
775.054	HORNBEAM -FASTIGIATE 2-2.5 INCH CALIPER	215
775.061	PAGODA TREE 'REGENT' 2-2.5 INCH CALIPER	216
775.148	LINDEN - LITTLE LEAF 'GREENSPIRE' 2-2.5 INCH CALIPER	217
775.437	LOCUST-HONEY-'SKYLINE' 2-2.5 INCH CALIPER	218
776.042	MAPLE- HEDGE 1.5-2 INCH CALIPER	219

776.523	MAPLE - RED- 'ARMSTRONG' 2-2.5 INCH CALIPER	220
776.543	MAPLE - RED -'OCTOBER GLORY' 2.5-3 INCH CALIPER	221
777.036	OAK - NORTHERN RED 2-2.5 INCH CALIPER	222
777.142	OAK - PIN GREEN PILLAR 3-3.5 INCH CALIPER	223
777.164	OAK -PYRAMIDAL ENGLISH 2-2.5 INCH CALIPER	224
777.241	OAK - SCARLET 2-2.5 INCH CALIPER	225
777.331	OAK - WHITE 2-2.5 INCH CALIPER	226
777.542	PLANETREE - LONDON 2-2.5 INCH CALIPER	227
778.412	CRABAPPLE - 'ADIRONDACK' 1.5-2 INCH CALIPER	228
781.152	GINKO- BILBOA 2-2.5 INCH CALIPER	229
781.155	GINKO- BILBOA 'FASTIGIATA' 2-2.5 INCH CALIPER	230
781.578	LILAC TREE -JAPANESE 1.5-2 INCH CALIPER	231
782.252	MOUNTAIN ASH - KOREAN- PYRAMIDAL 1.5-2 INCH CALIPER	232
782.423	PEAR - CALLERY - 'CHANTICLEER' 2-2.5 INCH CALIPER	233
785.643	INKBERRY-DENSA 2-3 FEET	234
786.461	JUNIPER - SARGENT'S 15-18 INCH	235
786.471	JUNIPER - 'SEAGREEN' 18-24 INCH	236
787.245	YEW - HICK'S 30-36 INCH	237
787.262	YEW - SPREADING ENGLISH 15-18 INCH	238
791.251	FORSYTHIA - 'ARNOLDS DWARF' 15-24 INCH	239
793.331	PRIVET - REGAL 18-24 INCH	240
796.011	BEARBERRY 2 GALLON	241
796.432	DWARF FOUNTAIN GRASS - 'HAMELN' 1 GALLON	242
804.3	3 INCH ELECTRICAL CONDUIT TYPE NM - PLASTIC (UL)	243
804.32	3 INCH ELECTRICAL CONDUIT TYPE NM (DOUBLE) - PLASTIC (UL)	244
804.33	4 INCH ELECTRICAL CONDUIT TYPE NM (TRIPLE) - PLASTIC (UL)	245
811.31	PULL BOX 12 X 12 INCHES - SD2.031	246
811.32	PULL BOX 12 X 24 INCHES	247
811.36	ELECTRIC MANHOLE ADJUSTED	248
813.79	INTERCONNECT CABLE SYSTEM	249
815.03	TRAFFIC CONTROL SIGNAL LOCATION 3	250
816.01	TRAFFIC SIGNAL RECONSTRUCTION LOCATION NO. 1	251
816.02	TRAFFIC SIGNAL RECONSTRUCTION LOCATION NO. 2	252
816.04	TRAFFIC SIGNAL RECONSTRUCTION LOCATION NO. 4	253
816.05	TRAFFIC SIGNAL RECONSTRUCTION LOCATION NO. 5	254
816.06	TRAFFIC SIGNAL RECONSTRUCTION LOCATION NO. 6	255
816.07	TRAFFIC SIGNAL RECONSTRUCTION LOCATION NO. 7	256
816.08	TRAFFIC SIGNAL RECONSTRUCTION LOCATION NO. 8	257
816.09	TRAFFIC SIGNAL RECONSTRUCTION LOCATION NO. 9	258
816.10	TRAFFIC SIGNAL RECONSTRUCTION LOCATION NO. 10	259
816.11	TRAFFIC SIGNAL RECONSTRUCTION LOCATION NO. 11	260
816.12	TRAFFIC SIGNAL RECONSTRUCTION LOCATION NO. 12	261
816.13	TRAFFIC SIGNAL RECONSTRUCTION LOCATION NO. 13	262
823.75	MBTA CATENARY POLE REMOVED AND STACKED	263
823.76	MBTA CATENARY POLE	264
823.77	MBTA CATENARY POLE - CLEANED AND PAINTED	265 & 266
823.78	MBTA POLE PROTECTION	267
826.51	FIRE ALARM BOX REMOVED AND RESET	268
827.21	24 INCH WARNING CLUSTER (HI-2) - ALUM. PANEL (TYPE A)	269
831.1	ROADSIDE GUIDE SIGN (FR) 25 SF & UNDER- ALUM.PANEL(TYPE A)	270
832.1	WARNING-REGULATORY AND ROUTE MARKER - ALUM. PANEL (TYPE A)	271 & 272
841.1	SUPPORTS FOR GUIDE SIGN (D6 W/ D8-5 INCH TUBULAR POST) STEEL	273
847.1	SIGN SUP (N/GUIDE)+RTE MKR W/1 BRKWAY POST ASSEMBLY - STEEL	274 & 275
850.41	ROADWAY FLAGGER	276
851.	SAFETY CONTROLS FOR CONTRUCTION OPERATIONS	277
852.	SAFETY SIGNING FOR CONSTRUCTION OPERATIONS	278
853.1	PORTABLE BREAKAWAY BARRICADE TYPE III	279
853.2	TEMPORARY PRECAST CONCRETE MEDIAN BARRIER	279
853.21	TEMPORARY PRECAST CONCRETE MEDIAN BARRIER R & R	280
853.41	TEMP.IMP.ATTENUATOR FOR SHLDR INCAPABLE OF REDIRECTION	281
853.411	TEMP.IMP.ATTENUATOR FOR SHLDR INCAPABLE OF REDIRECTION R & R	281
854.014	TEMPORARY PAVING MARKINGS - 4 IN. (PAINTED)	282
854.016	TEMPORARY PAVING MARKINGS - 6 IN. (PAINTED)	283
854.34	TEMPORARY PAVING MARKINGS - 4 IN. (REMOVABLE TAPE)	284
854.036	TEMPORARY PAVING MARKINGS - 6 IN. (REMOVABLE TAPE)	285
854.1	PAVEMENT MARKING REMOVAL - PAINT	286
854.3	PAVEMENT MARKING REMOVAL - TAPE	287
856.	SPECIAL LIGHTING UNIT (FLASHING ARROW)	288
856.12	PORTABLE CHANGEABLE MESSAGE SIGN	288
859.	REFLECTORIZED DRUM	289
864.04	PAVEMENT ARROWS AND LEGENDS REFL. WHITE (THERMOPLASTIC)	290 / 291 / 292
865.1	CROSS WALKS AND STOP LINES REFL. WHITE (THERMOPLASTIC)	293 / 294 / 295
866.04	4 INCH REFLECTORIZED WHITE LINE (THERMOPLASTIC)	296 & 297

866.06	6 INCH REFLECTORIZED WHITE LINE (THERMOPLASTIC)	298
866.08	8 INCH REFLECTORIZED WHITE LINE (THERMOPLASTIC)	299
867.04	4 INCH REFLECTORIZED YELLOW LINE (THERMOPLASTIC)	300
867.08	8 INCH REFLECTORIZED YELLOW LINE (THERMOPLASTIC)	301
867.12	12 INCH REFLECTORIZED YELLOW LINE (THERMOPLASTIC)	302
874.	STREET NAME SIGN	303 & 304
874.11	STREET SIGN WITHOUT POST	305
874.2	TRAFFIC SIGN REMOVED AND RESET	306
874.4	TRAFFIC SIGN REMOVED AND STACKED	307
874.7	MISCELLANEOUS SIGNS REMOVED AND STACKED	308
874.8	MISCELLANEOUS SIGNS REMOVED AND RESET	309
901.3	4000 PSI, 1.5 IN., 565 CEMENT CONCRETE FOR POST FOUND	310
903.	3000 PSI, 1.5 IN., 470 CEMENT CONCRETE	311
999.001	POLICE DETAIL	312

APPENDIX

PROJECT INFORMATION	A-1
SIDEWALK AREAS	A-2 & A-3
BACK OF WALK AREAS	A-4 & A-5
PAVEMENT AREAS	A-6 & A-7
CURB LENGTHS - EXIST.	A-8 & A-9
CURB LENGTHS - PROP.	A-10 & A-11
EARTHWORKS	A-12
PLANTS - PROP	A-13 & A-17